



# Have you ever received first aid training?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES	PERCENTAGE	NO	PERCENTAGE
<b>TOTALS</b>		<b>689</b>	<b>60.9%</b>	<b>442</b>	<b>39.1%</b>
<b>AgeRange</b>	<b>Results</b>				
18-29	208	130.0	<b>62.5%</b>	78.0	<b>37.5%</b>
30-39	195	117.0	<b>60.0%</b>	78.0	<b>40.0%</b>
40-54	275	181.0	<b>65.8%</b>	94.0	<b>34.2%</b>
55-64	184	109.0	<b>59.2%</b>	75.0	<b>40.8%</b>
65-74	140	78.0	<b>55.7%</b>	62.0	<b>44.3%</b>
75+	129	74.0	<b>57.4%</b>	55.0	<b>42.6%</b>
<b>Region</b>	<b>Results</b>				
North East	46	30.0	<b>65.2%</b>	16.0	<b>34.8%</b>
North West	129	80.0	<b>62.0%</b>	49.0	<b>38.0%</b>
Yorkshire and The Humber	95	52.0	<b>54.7%</b>	43.0	<b>45.3%</b>
East Midlands	85	56.0	<b>65.9%</b>	29.0	<b>34.1%</b>
West Midlands	102	63.0	<b>61.8%</b>	39.0	<b>38.2%</b>
East of England	110	66.0	<b>60.0%</b>	44.0	<b>40.0%</b>
London	152	80.0	<b>52.6%</b>	72.0	<b>47.4%</b>
South East	161	103.0	<b>64.0%</b>	58.0	<b>36.0%</b>
South West	101	62.0	<b>61.4%</b>	39.0	<b>38.6%</b>
Wales	54	38.0	<b>70.4%</b>	16.0	<b>29.6%</b>
Scotland	96	59.0	<b>61.5%</b>	37.0	<b>38.5%</b>
<b>Gender</b>	<b>Results</b>				
Male	547	315.0	<b>57.6%</b>	232.0	<b>42.4%</b>
Female	584	374.0	<b>64.0%</b>	210.0	<b>36.0%</b>

# Do you know the difference between a cardiac arrest and a heart attack?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES	PERCENTAGE	NO	PERCENTAGE
<b>TOTALS</b>		<b>494</b>	<b>43.7%</b>	<b>637</b>	<b>56.3%</b>
<b>AgeRange</b>			<b>Results</b>		
18-29	208	98.0	<b>47.1%</b>	110.0	<b>52.9%</b>
30-39	195	77.0	<b>39.5%</b>	118.0	<b>60.5%</b>
40-54	275	120.0	<b>43.6%</b>	155.0	<b>56.4%</b>
55-64	184	91.0	<b>49.5%</b>	93.0	<b>50.5%</b>
65-74	140	64.0	<b>45.7%</b>	76.0	<b>54.3%</b>
75+	129	44.0	<b>34.1%</b>	85.0	<b>65.9%</b>
<b>Region</b>			<b>Results</b>		
North East	46	24.0	<b>52.2%</b>	22.0	<b>47.8%</b>
North West	129	67.0	<b>51.9%</b>	62.0	<b>48.1%</b>
Yorkshire and The Humber	95	45.0	<b>47.4%</b>	50.0	<b>52.6%</b>
East Midlands	85	36.0	<b>42.4%</b>	49.0	<b>57.6%</b>
West Midlands	102	42.0	<b>41.2%</b>	60.0	<b>58.8%</b>
East of England	110	51.0	<b>46.4%</b>	59.0	<b>53.6%</b>
London	152	57.0	<b>37.5%</b>	95.0	<b>62.5%</b>
South East	161	71.0	<b>44.1%</b>	90.0	<b>55.9%</b>
South West	101	41.0	<b>40.6%</b>	60.0	<b>59.4%</b>
Wales	54	22.0	<b>40.7%</b>	32.0	<b>59.3%</b>
Scotland	96	38.0	<b>39.6%</b>	58.0	<b>60.4%</b>
<b>Gender</b>			<b>Results</b>		
Male	547	214.0	<b>39.1%</b>	333.0	<b>60.9%</b>
Female	584	280.0	<b>47.9%</b>	304.0	<b>52.1%</b>

# Do you know what a defibrillator (AED) is?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES	PERCENTAGE	NO	PERCENTAGE
<b>TOTALS</b>		<b>1,080</b>	<b>95.5%</b>	<b>51</b>	<b>4.5%</b>
<b>AgeRange</b>	<b>Results</b>				
18-29	208	193.0	<b>92.8%</b>	15.0	<b>7.2%</b>
30-39	195	183.0	<b>93.8%</b>	12.0	<b>6.2%</b>
40-54	275	263.0	<b>95.6%</b>	12.0	<b>4.4%</b>
55-64	184	177.0	<b>96.2%</b>	7.0	<b>3.8%</b>
65-74	140	137.0	<b>97.9%</b>	3.0	<b>2.1%</b>
75+	129	127.0	<b>98.4%</b>	2.0	<b>1.6%</b>
<b>Region</b>	<b>Results</b>				
North East	46	46.0	<b>100.0%</b>	0.0	<b>0%</b>
North West	129	125.0	<b>96.9%</b>	4.0	<b>3.1%</b>
Yorkshire and The Humber	95	89.0	<b>93.7%</b>	6.0	<b>6.3%</b>
East Midlands	85	85.0	<b>100.0%</b>	0.0	<b>0%</b>
West Midlands	102	95.0	<b>93.1%</b>	7.0	<b>6.9%</b>
East of England	110	102.0	<b>92.7%</b>	8.0	<b>7.3%</b>
London	152	144.0	<b>94.7%</b>	8.0	<b>5.3%</b>
South East	161	153.0	<b>95.0%</b>	8.0	<b>5.0%</b>
South West	101	98.0	<b>97.0%</b>	3.0	<b>3.0%</b>
Wales	54	53.0	<b>98.1%</b>	1.0	<b>1.9%</b>
Scotland	96	90.0	<b>93.8%</b>	6.0	<b>6.3%</b>
<b>Gender</b>	<b>Results</b>				
Male	547	526.0	<b>96.2%</b>	21.0	<b>3.8%</b>
Female	584	554.0	<b>94.9%</b>	30.0	<b>5.1%</b>

# Do you know how to use a defibrillator (AED)?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES	PERCENTAGE	NO	PERCENTAGE
<b>TOTALS</b>		<b>544</b>	<b>48.1%</b>	<b>587</b>	<b>51.9%</b>
<b>AgeRange</b>		<b>Results</b>			
18-29	208	119.0	<b>57.2%</b>	89.0	<b>42.8%</b>
30-39	195	92.0	<b>47.2%</b>	103.0	<b>52.8%</b>
40-54	275	148.0	<b>53.8%</b>	127.0	<b>46.2%</b>
55-64	184	85.0	<b>46.2%</b>	99.0	<b>53.8%</b>
65-74	140	55.0	<b>39.3%</b>	85.0	<b>60.7%</b>
75+	129	45.0	<b>34.9%</b>	84.0	<b>65.1%</b>
<b>Region</b>		<b>Results</b>			
North East	46	23.0	<b>50.0%</b>	23.0	<b>50.0%</b>
North West	129	62.0	<b>48.1%</b>	67.0	<b>51.9%</b>
Yorkshire and The Humber	95	48.0	<b>50.5%</b>	47.0	<b>49.5%</b>
East Midlands	85	51.0	<b>60.0%</b>	34.0	<b>40.0%</b>
West Midlands	102	39.0	<b>38.2%</b>	63.0	<b>61.8%</b>
East of England	110	54.0	<b>49.1%</b>	56.0	<b>50.9%</b>
London	152	59.0	<b>38.8%</b>	93.0	<b>61.2%</b>
South East	161	93.0	<b>57.8%</b>	68.0	<b>42.2%</b>
South West	101	47.0	<b>46.5%</b>	54.0	<b>53.5%</b>
Wales	54	32.0	<b>59.3%</b>	22.0	<b>40.7%</b>
Scotland	96	36.0	<b>37.5%</b>	60.0	<b>62.5%</b>
<b>Gender</b>		<b>Results</b>			
Male	547	244.0	<b>44.6%</b>	303.0	<b>55.4%</b>
Female	584	300.0	<b>51.4%</b>	284.0	<b>48.6%</b>

# Regarding defibrillators, which comes closest to your view?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YOU NEED FORMAL TRAINING BEFORE YOU SHOULD USE ONE		ANYONE CAN USE ONE, EVEN WITHOUT FORMAL TRAINING		DON'T KNOW	
		COUNT	PERCENTAGE	COUNT	PERCENTAGE	COUNT	PERCENTAGE
<b>TOTALS</b>		<b>283</b>	<b>25.0%</b>	<b>685</b>	<b>60.6%</b>	<b>163</b>	<b>14.4%</b>
<b>AgeRange</b>		<b>Results</b>					
18-29	208	46.0	<b>22.1%</b>	131.0	<b>63.0%</b>	31.0	<b>14.9%</b>
30-39	195	56.0	<b>28.7%</b>	118.0	<b>60.5%</b>	21.0	<b>10.8%</b>
40-54	275	65.0	<b>23.6%</b>	169.0	<b>61.5%</b>	41.0	<b>14.9%</b>
55-64	184	40.0	<b>21.7%</b>	117.0	<b>63.6%</b>	27.0	<b>14.7%</b>
65-74	140	34.0	<b>24.3%</b>	82.0	<b>58.6%</b>	24.0	<b>17.1%</b>
75+	129	42.0	<b>32.6%</b>	68.0	<b>52.7%</b>	19.0	<b>14.7%</b>
<b>Region</b>		<b>Results</b>					
North East	46	14.0	<b>30.4%</b>	28.0	<b>60.9%</b>	4.0	<b>8.7%</b>
North West	129	29.0	<b>22.5%</b>	82.0	<b>63.6%</b>	18.0	<b>14.0%</b>
Yorkshire and The Humber	95	24.0	<b>25.3%</b>	63.0	<b>66.3%</b>	8.0	<b>8.4%</b>
East Midlands	85	20.0	<b>23.5%</b>	55.0	<b>64.7%</b>	10.0	<b>11.8%</b>
West Midlands	102	25.0	<b>24.5%</b>	64.0	<b>62.7%</b>	13.0	<b>12.7%</b>
East of England	110	22.0	<b>20.0%</b>	72.0	<b>65.5%</b>	16.0	<b>14.5%</b>
London	152	46.0	<b>30.3%</b>	76.0	<b>50.0%</b>	30.0	<b>19.7%</b>
South East	161	45.0	<b>28.0%</b>	91.0	<b>56.5%</b>	25.0	<b>15.5%</b>
South West	101	22.0	<b>21.8%</b>	66.0	<b>65.3%</b>	13.0	<b>12.9%</b>
Wales	54	14.0	<b>25.9%</b>	34.0	<b>63.0%</b>	6.0	<b>11.1%</b>
Scotland	96	22.0	<b>22.9%</b>	54.0	<b>56.3%</b>	20.0	<b>20.8%</b>
<b>Gender</b>		<b>Results</b>					
Male	547	151.0	<b>27.6%</b>	315.0	<b>57.6%</b>	81.0	<b>14.8%</b>
Female	584	132.0	<b>22.6%</b>	370.0	<b>63.4%</b>	82.0	<b>14.0%</b>

# Did you know that defibrillators talk to you, giving spoken instructions when turned on?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES		NO	
		COUNT	PERCENTAGE	COUNT	PERCENTAGE
<b>TOTALS</b>		<b>753</b>	<b>66.6%</b>	<b>378</b>	<b>33.4%</b>
<b>AgeRange</b>		<b>Results</b>			
18-29	208	147.0	<b>70.7%</b>	61.0	<b>29.3%</b>
30-39	195	132.0	<b>67.7%</b>	63.0	<b>32.3%</b>
40-54	275	187.0	<b>68.0%</b>	88.0	<b>32.0%</b>
55-64	184	132.0	<b>71.7%</b>	52.0	<b>28.3%</b>
65-74	140	86.0	<b>61.4%</b>	54.0	<b>38.6%</b>
75+	129	69.0	<b>53.5%</b>	60.0	<b>46.5%</b>
<b>Region</b>		<b>Results</b>			
North East	46	30.0	<b>65.2%</b>	16.0	<b>34.8%</b>
North West	129	88.0	<b>68.2%</b>	41.0	<b>31.8%</b>
Yorkshire and The Humber	95	63.0	<b>66.3%</b>	32.0	<b>33.7%</b>
East Midlands	85	65.0	<b>76.5%</b>	20.0	<b>23.5%</b>
West Midlands	102	68.0	<b>66.7%</b>	34.0	<b>33.3%</b>
East of England	110	80.0	<b>72.7%</b>	30.0	<b>27.3%</b>
London	152	88.0	<b>57.9%</b>	64.0	<b>42.1%</b>
South East	161	110.0	<b>68.3%</b>	51.0	<b>31.7%</b>
South West	101	67.0	<b>66.3%</b>	34.0	<b>33.7%</b>
Wales	54	36.0	<b>66.7%</b>	18.0	<b>33.3%</b>
Scotland	96	58.0	<b>60.4%</b>	38.0	<b>39.6%</b>
<b>Gender</b>		<b>Results</b>			
Male	547	346.0	<b>63.3%</b>	201.0	<b>36.7%</b>
Female	584	407.0	<b>69.7%</b>	177.0	<b>30.3%</b>

# Do you know where the nearest defibrillator is to your home?

Total sample size: 1,169

Filtered sample size: 1,131

GB SAMPLE SPEC	COMPLETES	YES	PERCENTAGE	NO	PERCENTAGE
<b>TOTALS</b>		<b>546</b>	<b>48.3%</b>	<b>585</b>	<b>51.7%</b>
<b>AgeRange</b>			<b>Results</b>		
18-29	208	80.0	<b>38.5%</b>	128.0	<b>61.5%</b>
30-39	195	84.0	<b>43.1%</b>	111.0	<b>56.9%</b>
40-54	275	136.0	<b>49.5%</b>	139.0	<b>50.5%</b>
55-64	184	101.0	<b>54.9%</b>	83.0	<b>45.1%</b>
65-74	140	75.0	<b>53.6%</b>	65.0	<b>46.4%</b>
75+	129	70.0	<b>54.3%</b>	59.0	<b>45.7%</b>
<b>Region</b>			<b>Results</b>		
North East	46	29.0	<b>63.0%</b>	17.0	<b>37.0%</b>
North West	129	56.0	<b>43.4%</b>	73.0	<b>56.6%</b>
Yorkshire and The Humber	95	51.0	<b>53.7%</b>	44.0	<b>46.3%</b>
East Midlands	85	57.0	<b>67.1%</b>	28.0	<b>32.9%</b>
West Midlands	102	46.0	<b>45.1%</b>	56.0	<b>54.9%</b>
East of England	110	61.0	<b>55.5%</b>	49.0	<b>44.5%</b>
London	152	41.0	<b>27.0%</b>	111.0	<b>73.0%</b>
South East	161	68.0	<b>42.2%</b>	93.0	<b>57.8%</b>
South West	101	50.0	<b>49.5%</b>	51.0	<b>50.5%</b>
Wales	54	37.0	<b>68.5%</b>	17.0	<b>31.5%</b>
Scotland	96	50.0	<b>52.1%</b>	46.0	<b>47.9%</b>
<b>Gender</b>			<b>Results</b>		
Male	547	246.0	<b>45.0%</b>	301.0	<b>55.0%</b>
Female	584	300.0	<b>51.4%</b>	284.0	<b>48.6%</b>